	(c) NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER
	NPIC/CSD-294/67 19 MAY 1967 PAGE / COPY <u>5</u>
	NEW RAILROAD BRIDGE CONSTRUCTION TECHNIQUE  HA NOI, NORTH VIETNAM  2104N 10555E
.•	SIGNIFICANCE:
	THIS BRIEFING BOARD PORTRAYS A NEW TYPE OF RAILROAD BRIDGE CON-
	STRUCTION WHICH MAY ALSO SERVE AS A NEW BRIDGE SERVICEABILITY DECEPTION
	TECHNIQUE.
·	LOCATION:
	THE HA NOI RAILROAD BRIDGE OVER THE SONG DUONG IS
	LOCATED FOUR NM NORTHEAST OF HA NOI.
•	MISSION READOUT:
	SHOWS CONSTRUCTION CONTINUING ON
	THIS RAILROAD BRIDGE WHICH BY-PASSES THE HA NOI RAILROAD AND HIGHWAY
	BRIDGE OVER THE SONG DUONG FIRST OBSERVED UNDER
	CONSTRUCTION IN JULY 1966, THE BRIDGE IS NEARING COMPLETION; ALL PIERS
	ARE IN PLACE AND THE APPROACH TRACK IS LAID WITH THE EXCEPTION OF A
	FIVE HUNDRED FOOT SEGMENT ON THE SOUTH BANK.
	THE UNUSUAL DESIGN OF THE APPROACHES, PIERS, AND ABUTMENTS SUGGEST
	THE POSSIBILITY OF A NEW CONSTRUCTION/REPAIR/SERVICEABILITY DECEPTION
	TECHNIQUE. DOUBLE GANTRY CRANES ARE LOCATED ON RAIL/CABLE WAYS (EACH
	APPROXIMATELY THREE HUNDRED SIXTY FEET IN LENGTH) AT EACH END OF THE
	BRIDGE. THE PIERS CONSIST OF TWO LATTICE-TYPE TOWERS WITH CROSS MEMBER

Alexander | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |

completed.

CONFIDENTIAL

CONFIDENTIAL Approved For Release 2006/03/16 : CIA-RDP79-00849A000800060006-4			
(c) NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER  NPIC/CSD-294/67 19 MAY 1967 PAGE 2			
WHICH IS THE SAME WIDTH AS THE GANTRY WAY.			
AN ANALYSIS OF THE SHADOW INDICATES THAT THE LATTICE-TYPE TOWERS			
EXTEND ABOVE THE CROSS MEMBERS THE SAME DISTANCE THAT THE GANTRY WAY EXTENDS ABOVE THE RAILBED. A PROBABLE CABLE ANCHORAGE EXCAVATION IS LOCATED AT THE END OF THE GANTRY WAY ON THE SOUTH BANK. THE RAILROAD TRACK IS OFFSET WITHIN THE GANTRY WAY, AND ALTHOUGH THIS			
			MAY INDICATE A DUAL PURPOSE RAILROAD/ROAD BRIDGE, THE AREA COULD BE
			UTILIZED FOR TEMPORARY STORAGE OF THE DECK SECTIONS. IF THE GANTRY
			CRANES ARE DESIGNED TO RIDE ON CABLES, THEY WOULD SIGNIFICANTLY EXPEDITE
EMPLACEMENT AND REMOVAL OF THE DECK SECTIONS FOR MAINTENANCE OR TO			
MAINTAIN THE DECEPTION OF UNSERVICEABILITY NOW EMPLOYED AT SEVERAL			
OTHER RY DAGG RETTORIG THE MODULE STERMAN			

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue. For information concerning these notes contact Chief, Collateral Support Division, NPIC.

Approved For Refease 2006/03/16: CIA RDP79-00849/000800060006-4

CONFIDENTIAL Approved For Release 2006/03/16 : CIA-RDP79-00849A000800060006-4

(c) NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER

NPIC/CSD-294/67 19 MAY 1967

PREPARED BY:	NPIC/CSD
5 -	DIA (ATTN: PAG (ATTN: CSD/REF/BB UNIT CSD/NBB/SEAS

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue. For information concerning these notes contact Chief, Collateral Support Division, NPIC.

Approved F<del>or Release 2006/03/16 : CIA-RDP79-00849A000800060006-</del>

CONFIDENTIAL

Approved For Release 2006/03/16 : CIA-RDP79-00849A000800060006-4



Approved For Release 2006/03/16 : CIA-RDP79-00849A000800060006-4